



IMPACT REPORT 2025



Watch a video about our regional conservation model produced by the Cornell Lab of Ornithology above. Read more about our regional conservation programs on page 25.



Mushroom beetle
(*Cypherotylus* sp.)
Narupa Reserve
Credit: Javier Aznar



Andean Bear
(*Tremarctos ornatus*)
Chakana Reserve
Credit: Javier Aznar

TABLE OF CONTENTS

Letter from the CEO	2
Jocotoco Gives Reasons for Hope in 2025	4
Ecuador: Megadiverse but Threatened	6
Key Ingredients to Jocotoco's Approach	10
● Groundbreaking Science	12
● Local Leadership	16
● People on the Ground	17
● Technological Innovation	19
Jocotoco's Impact	23
● Successes in Regional Conservation	25
● Expanding Our Reserves	51
● Restoring Habitat	53
● Recovering Wildlife	57
Sustaining Jocotoco's Work, Together	75

LETTER FROM THE CEO

MARTIN SCHAEFER

Dear Friends of Jocotoco,

This February I witnessed something extraordinary: 158 young Floreana Giant Tortoises (*Chelonoidis niger niger*), once thought extinct, were released into the wild after nearly two centuries being absent. Jocotoco has been working to rewild Floreana, the sixth-largest island in the Galapagos, by removing non-native predators so the tortoises and other native wildlife can return. Park rangers brought the tortoises to the island, scientists fitted satellite tags, then the tortoises scampered away surprisingly quickly into the dry bush. This moment brought hope that the many other species that have disappeared from Floreana may one day return to their ancestral home.

This spectacular return of nature is also happening in the Chocó rainforest. At our Canandé Reserve, most of the diversity and biomass of animals have returned to previously cleared forests that we purchased and protected within only 30 years. With 5-6 meters (16-20 ft) of rainfall per year, these are among the wettest rainforests on Earth and are as different from Floreana as possible. Yet, the healing of nature is the same.

Jocotoco transforms biodiversity hotspots into hopespots.

Our work in Ecuador spans two of the world's richest biodiversity hotspots — from both slopes of the Andes to the Pacific coast and the Galapagos. Biodiversity hotspots comprise 36 regions worldwide that share two things in common: high concentrations of species and rapid habitat destruction.

Fortunately, this is where Jocotoco excels. Where nature is most stunning and most threatened, we act quickly and effectively. We save species from extinction, help wildlife adapt to climate change, and preserve the resilience of ecosystems. The places we protect provide millions of people with fresh water, food, and pollinators for crops. Together with you, we are bringing hope to the places it is needed most.

With gratitude,



Martin Schaefer, CEO



Martin Schaefer, CEO
Floreana Island
Credit: Lucas Bustamante

JOCOTOCO GIVES REASONS FOR HOPE IN 2025



1 Expanded our reserve network by 5,500+ ha (13,600 acres), surpassing 50,000 ha (123,000 acres) protected across Ecuador.



2 Helped improve the conservation status of *Magnolia dixonii*, downlisted from Critically Endangered to Endangered.



3 Recorded a 21%–66% increase in the global population of the Critically Endangered Blue-throated Hillstar (*Oreotrochilus cyanolaemus*).



4 Cr. Endangered Brown-headed Spider Monkey (*Ateles fusciceps fusciceps*) and Lilacine Amazon (*Amazona lilacina*) numbers in our reserves exceed global estimates.



5 Established Sol del Chaco, our 19th reserve.



6 Documented seven species new to science within our reserves.



7 Developed AI tools to detect more territories of the Endangered Jocotoco Antpitta (*Grallaria ridgelyi*) than were previously known.




8 The Vulnerable Galapagos Rail (*Laterallus spilonota*) returned to Floreana for the first time since Darwin's visit.



9 In early 2026, partners reintroduced 158 juvenile Floreana Giant Tortoises to Floreana for the first time in nearly 200 years.

GLOBAL SIGNIFICANCE



A team of international researchers called Reassembly found that biodiversity on previously cleared forests at our Canandé Reserve can recover on their own in only 30 years, validating our conservation model. Results were published in *Nature*, the world's leading science journal. **More on pg. 21.**

GLOBAL RECOGNITION



Paola Sangolquí, Jocotoco's Marine Conservation Coordinator seen here with Princess Anne of the U.K, won the prestigious Whitley Award for her work to protect the Critically Endangered Galapagos Petrel (*Pterodroma phaeopygia*). **More on pg. 40.**


ECUADOR: MEGADIVERSE BUT THREATENED

Ecuador is the 9th most biodiverse country in the world. Of those countries, it is by far the smallest.




BRAZIL

1st most biodiverse, 5th largest
846 million ha
(2,091 million acres)




UNITED STATES

10th most biodiverse, 3rd largest
915 million ha
(2,260 million acres)



ECUADOR

9th most biodiverse, 73rd largest
28 million ha
(68 million acres)



Jocotoco's reserves cover an area slightly larger than the City of Prague, but are home to 12% of global bird species, more than the entire U.S.




JOCOTOCO'S RESERVES

50,000 ha
(123,000 acres)
% of global bird species



CITY OF PRAGUE

49,000 ha
(122,000 acres)
% of global bird species




The concentration of biodiversity in Ecuador is greater than almost anywhere else on Earth.



Puma
(*Puma concolor*)
Narupa Reserve
Credit: Javier Aznar

DEFORESTATION: THE LEADING CAUSE OF BIODIVERSITY LOSS IN MAINLAND ECUADOR

Ecuador suffered one of the highest rates of deforestation in South America during the 20th century, and deforestation continues. Ecuador lost 21,340 km² (8,240 miles²) of forest between 1990 and 2020, 15% of its remaining forests, an area equal to the size of the country of Wales or the state of New Jersey. As a result, Ecuador has the second-highest number of threatened species of any country.



**Deforestation Hotspots from
1990-2018**

Adapted from Kleemann, *et al.*, 2022.



Forest clearing in northwest Ecuador.
Credit: Jaime Culebras



KEY INGREDIENTS TO JOCOTOCO'S APPROACH

Karina, conservation analyst for
Jocotoco, near the Ridgely Reserve.
Credit: Afuera Producciones



GROUNDBREAKING SCIENCE

Science guides our conservation strategies. Research both validates our work and challenges our assumptions.

Along with our own staff, scientists from across Ecuador and around the world conduct research on the ecosystems we protect. We utilize the results of that research to guide our conservation strategies.

Evidence-based decision-making is what separates efforts that feel good from those that actually optimize positive impacts on biodiversity.

Evidence led us to one of our original founding strategies in the late 1990s — create new nature reserves to protect endemic and threatened species that are not protected otherwise.

Because we rely on evidence, we invest in AI-based monitoring to refine our regional conservation strategies. In our regional programs, we create connections between protected areas, allowing wildlife to move across the landscape. We strategically locate our reserves to buffer massive national parks, effectively protecting vast hinterlands beyond our reserve boundaries. We support the efforts of governments, communities, and other conservation organizations to create and manage their own protected areas that act as buffers and connectors.

2025 SUMMARY



Our work and the ecosystems we protect were featured in 26 peer-reviewed articles.



74 external researchers from 52 universities and research centers conducted studies in our reserves.




Nico Blüthgen at a dung beetle trap.
Canandé Reserve
Credit: Karsten Mody

Jocotoco was an early leader in utilizing science on climate change to drive conservation strategies.

Jocotoco created the Buenaventura Reserve in southwestern Ecuador in 1999 to protect the last remaining cloud forests in the region and to protect species like the Endangered El Oro Parakeet (*Pyrrhura orcesi*). There were no and still are no national parks in this region.

We soon noticed that the El Oro Parakeet moved farther up in elevation over time. We suspected it was due to climate change pushing its cloud forest habitat upslope. We began expanding the reserve upslope based on our intuition. The parakeet's current elevation range is 900-1,600 m (2,950-5,250 ft) and the reserve extends from 350-2,300 m (1,150-7,550 ft), encompassing the entirety of its elevation range. However, in 2018 we published a study that showed that El Oro Parakeets will likely shift their range up to a maximum elevation of 3,000 m (9,840 ft) by the year 2100.

We must continue to expand Buenaventura upslope to allow the El Oro Parakeet and other wildlife to adapt to climate change.





The northern Andes are one of the few places in South America gaining tree species as climate change pushes lowland species upslope. This highlights the importance of the Andes in Ecuador as a climate corridor.

As in the Buenaventura Reserve, evidence on the impact of climate change leads us to protect large altitudinal gradients in our regional programs. Protected corridors that stretch from the bottom to the top of the Andes allow wildlife to find suitable habitat as the climate becomes hotter.

El Oro Parakeet
Buenaventura Reserve
Credit: Javier Aznar

LOCAL LEADERSHIP

Jocotoco is deeply rooted in the ecosystems we protect. Our reserves are embedded in communities throughout Ecuador. We are committed to the long-term health of these ecosystems and communities.

Our decision-making is local. The people who live in or near the places we work are the ones guiding key decisions about how to protect those ecosystems. More than half of our staff work in the same communities they were born in. Many of them work to protect the same land that they grew up on. These local connections build trust between Jocotoco and communities.

Local connections also allow Jocotoco to be agile. If there is a problem, we solve it quickly. If there is an opportunity, we respond immediately. When a dangerous wildfire spreads, we join the local fire brigade and put it out. If a landowner wants to sell their property, we learn about it first.

Jocotoco develops leaders from within.


We invest in local leadership by building skills, fostering connections, and creating pathways for growth. Park guards become reserve managers, and reserve managers become regional program coordinators. Staff that work in our tree nurseries become heads of restoration programs. Maintenance staff become expert nature guides.

In turn, the leaders that we develop then reciprocate and shape Jocotoco. They improve our methods and adjust our priorities. And they pay it forward. When leaders grow with Jocotoco, they become mentors to the next generation of conservationists, helping develop the younger generation's skills and expertise.

PEOPLE ON THE GROUND

Jocotoco's reserves have 10 to 70 times more park guards per area than national parks in large South American countries.

Jocotoco ensures its reserves are safeguarded by investing heavily in the people that protect those reserves, our park guards, representing 37.5% of all of our staff.



Our park guards are at the frontlines of conservation. Jocotoco park guards completed nearly 6,000 km (3,700 miles) of patrols in 2025. With that pace, they will have patrolled the circumference of the equator in under seven years.




Field biologist Javier, southern reserves coordinator Jesús, and Cerro de Arcos Reserve park guard Ángel.
Credit: Lizeth Cargua

TECHNOLOGICAL INNOVATION

Jocotoco develops and deploys innovative technology to monitor large landscapes quickly and efficiently, work that people alone cannot accomplish.

We monitor the ecosystems that we protect in order to understand if our work is effective. Landscape monitoring allows us to measure the success of our regional conservation strategies. We also develop AI models to monitor specific rare and threatened species in order to refine our conservation strategies for those species.

Jocotoco uses audio recorders to monitor the sounds of birds and amphibians. We also use camera traps to monitor mammals. These data allow us to visualize how biodiversity varies across the landscape. The map below shows biodiversity in the Andes-Amazon region. Lighter colors show higher biodiversity values, and darker colors show lower biodiversity values. Such maps allow us to prioritize locations for protection by Jocotoco and by our community partners, including key wildlife corridors between protected areas.



- | | | |
|---|--|--|
|  Small-eared Dog (<i>Atelocynus microtis</i>) |  Jaguar (<i>Panthera onca</i>) |  Lowland Tapir (<i>Tapirus terrestris</i>) |
|  White-fronted Capuchin (<i>Cebus yuracus</i>) |  Puma (<i>Puma concolor</i>) |  White-lipped peccary (<i>Tayassu pecari</i>) |
|  Ocelot (<i>Leopardus pardalis</i>) |  Bush Dog (<i>Speothos venaticus</i>) |  Great Tinamou (<i>Tinamus major</i>) |
|  Red Brocket (<i>Mazama americana</i>) |  Southern Tamandua (<i>Tamandua tetradactyla</i>) |  Andean Bear (<i>Tremarctos ornatus</i>) |
|  Salvin's Curassow (<i>Mitu salvinii</i>) |  Mountain Tapir (<i>Tapirus pinchaque</i>) | |

We use the same audio recorders and AI models to identify threats, the sounds of chainsaws and hunting rifles. We are now utilizing technology that sends real-time alerts when threats are detected, drastically cutting down the response time of park guards.

Advanced technology allows Jocotoco to scale up.

Technology allows Jocotoco to monitor biodiversity and threats on a grand scale. While people on the ground will always be the driving force of our work, technology enables us to address conservation challenges efficiently. Those efficiencies will reduce our operational costs in the long term.

2025 Advances in AI-aided Monitoring:

- Our AI models can now identify 596 bird and 202 amphibian species, up from 520 birds and 30 amphibians in 2024. This includes seven Critically Endangered and 25 Endangered species.
- In our Tapichalaca Reserve, we trained our AI models to identify the Endangered Jocotoco Antpitta, a species notoriously difficult to monitor owing to its low propensity to vocalize.
- In our Buenaventura Reserve, we trained our AI models to identify the Endangered El Oro Parakeet and El Oro Tapaculo (*Scytalopus robbinsi*). Both species are endemic to cloud forests in southern Ecuador. The El Oro Tapaculo is especially elusive and difficult to see, making bioacoustic monitoring essential to understanding its conservation status.
- We identified the Vulnerable Black Tinamou (*Tinamus osgoodi*) in southern Ecuador near our Tapichalaca Reserve, 500 km (310 miles) south of its known range in Ecuador.
- We detected numerous individuals of the Critically Endangered *Pristimantis chocoensis* and the Critically Endangered *Dendropsophus gryllatus*, two endemic frogs known only from a small number of locations in western Ecuador.
- The models can now identify most human-made threats at 90% accuracy, like chainsaws cutting down a tree. We use this data to increase our vigilance.

REASSEMBLY:

USING TECHNOLOGY TO VALIDATE JOCOTOCO'S MODEL AT THE HIGHEST SCIENTIFIC LEVEL

Jocotoco is one of the most effective organizations in Latin America at quantifying its outcomes and measuring its impact. Understanding what works and what doesn't allows us to adapt our strategies so they are more effective.

Together with Jocotoco staff, scientists from Reassembly, a research project at our Canandé Reserve in the Ecuadorian Chocó, found that 75% of old-growth forest wildlife species can return to former cacao plantations and pastures within just 30 years once that land is protected. Forests regenerated on their own without the need for active reforestation.

The Reassembly team included 40 researchers from more than 30 universities and research centers from Ecuador and across the world. Researchers used bioacoustics, eDNA, and AI to develop their findings. One of the world's most prestigious journals, Nature, published their groundbreaking findings in April 2026. This scientific and technological validation demonstrates that our model works — protect the land and nature returns on its own.

The international journal of science / 30 April 2026

nature



THE WAY BACK

How biodiversity recovers as logged rainforests regrow



Read the full article in Nature

Mind games
Octopus brains raise questions over what it takes to be intelligent

Software applications
Why grant-writing AI agents pose a threat to the funding process

False friends
Large language models trained to show warmth make more mistakes

21

The New York Times

Rainforests Can Bounce Back Much Faster Than Thought, Researchers Say



See the article in the NY Times



Diablito
(*Oophaga sylvatica*)
Canandé Reserve
Credit: Javier Aznar



JOCOTOCO'S IMPACT



Canandé Reserve
Credit: Javier Aznar

SUCCESSSES IN REGIONAL CONSERVATION


OUR PROGRAMS AND RESERVES



Pacific Ocean

REGIONAL PROGRAMS

- Chocó-Andes
- Andes-Amazon
- Galapagos-Pacific
- Podocarpus-El Cóndor
- Chocó-Tumbes



RESERVES

- | | |
|-----------------|---------------------|
| 1. Tapichalaca | 11. Copalinga |
| 2. Buenaventura | 12. Los Petreles |
| 3. Yunguilla | 13. Las Balsas |
| 4. Canandé | 14. Cerro de Arcos |
| 5. Yanacocha | 15. Cuyuja |
| 6. Utuana | 16. Jondachi |
| 7. Jorupe | 17. Mindo-Tandayapa |
| 8. Narupa | 18. Ridgely |
| 9. Chakana | 19. Sol del Chaco |
| 10. Ayampe | |

THE STUNNING BIODIVERSITY OF JOCOTOCO'S RESERVES

The number of species recorded on our reserves, to date:



Imbabura Frog (*Boana picturata*)
Credit: Javier Aznar




Yellow-tufted Dacnis (*Dacnis egregia*)
Credit: Meinolf Pues



Mountain Tapir (*Tapirus pinchaque*)
Credit: Nicolas Devos



Orchid (*Epidendrum* sp.) Credit: Javier Aznar




Olive Ridley Turtle (*Lepidochelys olivacea*)
Credit: Byron Delgado



Great Green Macaw (*Ara ambiguus guayaquilensis*)
Credit: Afuera Producciones

CHOCÓ - ANDES PROGRAM

Tumbes-Chocó-Magdalena and Tropical Andes Biodiversity Hotspots
700,000 ha (1.7 million acres)
50-4,900 masl (165-16,000 ft)





Mindo-Tandayapa Reserve
Credit: Javier Aznar

2025

JOCOTOCO HIGHLIGHTS



3,381 ha (8,355 acres) added to our reserve network.



Three communal reserves and two national parks jointly patrolled.



More than 10,000 distinct species of plants and animals identified by Reassembly researchers at the Canandé Reserve. Many of these species have not yet been described formally. Researchers also found 60,000 species of fungi, species that could be the basis of new antibiotics.



264 seedlings of threatened and endemic trees planted, including 204 Endangered *Magnolia dixonii* (downlisted from Critically Endangered to Endangered).



Monitoring revealed that biodiversity of mammals is lower in areas near roads, settlements, and logging. This may be due to subsistence hunting. Surveys show that most young people here do not hunt, indicating that hunting will be less of a problem for wildlife in the future.




Chocó-Andes Network

Stronger together, Protecting our Region

Protecting the hottest of biodiversity hotspots.

Spearheaded by Jocotoco, and led collaboratively by 11 local organizations, we are creating a 'Ring of Defense' around the Cotacachi-Cayapas National Park. We are also creating a connected corridor of protected areas from lowland Chocó rainforests to high-elevation páramos in the Andes, spanning an altitudinal gradient of nearly 5 km (3 miles), enabling climate adaptation.

Momentum Builds in 2025



Trainings led by network members: 200 farmers participated in workshops to develop a Life Plan, a community-led roadmap for strengthening territorial governance, cultural continuity, sustainable livelihoods, and conservation across their communities; 27 community leaders received conservation training; 20 youth were prepared as community monitors; and 32 local guides received training in environmental education and water monitoring.



Credit: Chocó - Andes Network



Credit: Chocó - Andes Network

Chocó-Andes: Allowing tens of thousands of species to adapt to a warming world, like the three below.



EN

Black-and-Chestnut Eagle

(*Spizaetus isidori*)

1,300–3,000 masl (4,200–9,800 ft)

Credit: Meinolf Pues



NT

Plate-billed Mountain Toucan

(*Andigena laminirostris*)

1,200–2,500 masl (3,900–8,200 ft)

Credit: Javier Aznar

VU

Great Curassow (*Crax rubra*)

below 1,200 masl (4,000 ft)

Credit: Jocotoco



Canandé Reserve
Credit: Lucas Bustamante

ANDES - AMAZON PROGRAM

Tropical Andes Biodiversity Hotspot
1,000,000 ha (2.5 million acres)
280-5,800 masl (920-19,000 ft)

-  National Parks
-  Jocotoco Reserves
-  Indigenous and Mestizo Community Partners

Cayambe-Coca
National Park

Sol del
Chaco

Sumaco
Napo-Galeras
National Park

Chakana

Cuyuja

Antisana
National Park

Narupa
Jondachi

Colonso Chalupas
Biological Reserve


Sumaco
Napo-Galeras
National Park

2025

JOCOTOCO HIGHLIGHTS



798 ha (1,972 acres) added to our reserve network.



One new reserve created, Sol Del Chaco.



Three communal reserves and two national parks jointly patrolled.



Monitoring revealed that biodiversity is highest in our Narupa Reserve and around indigenous communities. Deforestation is also concentrated around indigenous communities, underscoring the importance of community conservation to increase landscape connectivity and buffer national parks.


SKY RIVERS BRING LIFE

Water is the engine of life that causes Ecuador's biodiversity.

Vapor from the Pacific and the Amazon moves inland and upward along invisible sky rivers until it falls as rain along the Andes. Trees that absorb and release moisture are part of these sky rivers. The sky rivers anchor local and regional climates and provide drinking water and hydroelectric power to millions.

But this continental system is under threat. Deforestation has fragmented the forest corridors and disrupted the cycle. Without a reliable source, the systems powered by atmospheric water and water from the ocean are in danger. As deforestation continues, we see more frequent and severe droughts on both sides of the Andes, including the Chocó and Amazon rainforests. The cycle creates a negative feedback loop: deforestation leads to less moisture in the atmosphere, less moisture leads to less rain in the Andes, and less rain in the Andes leads to less freshwater to sustain forests. In Ecuador, drought results in a decrease in economic productivity, and the country turns to more extractive industries like mining, oil, and timber.

At Jocotoco we create a positive feedback loop, where nature and people thrive. We have shown that we can protect vast networks of forests. We have also shown that we can quickly restore ecosystems that have been degraded. Once ecosystems are restored, the skyrivers flow again.




Jocotoco has a network of reserves that stretch up and down both slopes of the Andes. This image shows our reserves in the Chocó-Andes on the western slope and the Andes-Amazon on the eastern slope. The forests in these reserves contribute to the sky rivers that sustain life in Ecuador and beyond.



Buenaventura Reserve
Credit: Lucas Bustamante

GALAPAGOS - PACIFIC PROGRAM

Tumbes-Chocó-Magdalena Biodiversity Hotspot
325,000 km² (125,450 miles²)
Sea floor-1,700 masl (5,600 ft)



Program area also includes the first eight miles of ocean off the coast of mainland Ecuador.



Paola's acceptance speech.

Credit: Bryan Pérez Saltos

Paola Sangolquí Wins the Prestigious Whitley Award!

Paola Sangolquí, Jocotoco's Marine Conservation Coordinator, became a fellow at the Sustainable Ocean Alliance in February, completed her PhD in March, and, to top it all off, won the 2026 Whitley Award in April. She received the award for her innovative work protecting Critically Endangered Galapagos Petrel nests on private farmland collaboratively with the farmers themselves. These awards, considered to be the "Green Oscars", are held annually by the U.K.-based Whitley Fund for Nature (WFN). The ceremony, hosted by the patron of WFN, the Princess Royal of Britain, was held in April 2026 at the Royal Geographical Society in London.



Critically Endangered
Galapagos Petrel
Credit: Bryan Pérez Saltos



The High Seas Treaty (Biodiversity Beyond National Jurisdiction / BBNJ) advanced toward implementation after reaching the required number of ratifying countries. Jocotoco contributed towards Ecuador being one of the countries that signed the treaty.



Jocotoco is supporting the declaration of the first marine connectivity corridor along the first eight miles of mainland Ecuador's coast, known as the "Blue Corridor," spanning 15,035 km² (5,804 mi²). The Blue Corridor will connect existing marine protected areas together, protect biodiversity, and support artisanal fishers.



Led by the Galapagos National Park Directorate and developed with community participation, a new fishing law was approved for the Galapagos Marine Reserve, outlawing long-line fishing.



The proposed zoning for the Galapagos Marine Reserve, developed with technical support from Jocotoco and partners, protects the most sensitive areas for biodiversity while supporting sustainable artisanal fishing and tourism.



Our staff and collaborators with Galapagos Reef Revival “planted” 800 corals across 500m² (5,382 ft²) of reefs near Isabela Island to restore reefs lost to El Niño in the 1980s. 7,600 corals have been planted to date covering 7,000 m² (75,000 ft²).



Thanks to the ongoing invasive predator control activities carried out by Jocotoco, new hatchlings of the Critically Endangered Galapagos Pink Land Iguana (*Conolophus marthae*) were found for only the third time since the species was described in 2009. With a global population of fewer than 400 individuals, the survival of juveniles in 2025 reflects improved conditions in their breeding grounds.



Jocotoco works beyond Ecuador in Costa Rica. Jocotoco controlled invasive and destructive wildlife on Cocos Island, off Costa Rica’s Pacific coast, to improve conditions for native wildlife.

The most ambitious rewilding project ever undertaken in the Galapagos.

Together with many partners, we will bring back 12 endemic species that disappeared from Floreana, the sixth largest island in the Galapagos, generations ago. We eradicate invasive predators on Floreana to make the island safe for the return of its wildlife. This is the largest invasive species eradication project on a populated tropical island in the world.

Our work is paying off. Two of the 12 species have now returned: 158 Floreana Giant Tortoise were released in early 2026 and the Galapagos Rail returned on its own in early 2025.

The project is led by the Galapagos National Park Directorate and the Agency for the Regulation and Control of Biosecurity and Quarantine for Galapagos, and co-implemented by Jocotoco, the Charles Darwin Foundation, and Island Conservation, with support from many other collaborators. All 150 Residents of Floreana signed on to support the effort.

December 2023

Intensive invasive predator control was conducted across Floreana.

Partners: 1 2 3 4 5 6 8 10



© James Muchmore

February 2024

510 Darwin's finches were released after being held in aviaries to safeguard the population. Upon their return, they quickly started breeding.

Partners: 1 8 11 12 14

2023

2024

2024

The largest colony of Critically Endangered Galapagos Petrel reached more than 700 registered nests, with 154 chicks fledged. Lava Lizard (*Microlophus grayii*) populations grew eight-fold. Several endemic land snail species were recorded for the first time in decades.

Partners: 1 6 7 8 11 12 13 15

May 2024

Farmers reported minimal to no crop losses due to rats or mice, down from 40-60% crop losses.



© Diego Bermeo

Partners:

- 1 Galapagos National Park Directorate 2 Agency for the Regulation and Control of Biosecurity and Quarantine for Galapagos 3 Floreana community
9 Galapagos Conservancy 10 Bell Laboratories 11 Durrell Wildlife Conservation Trust 12 The Konrad Lorenz Research Center for Behavior and Cognition at the University of Vienna

An unprecedentedly strong El Niño is predicted for later this year. The El Niño is likely to seriously reduce the populations of marine wildlife. Coral is especially susceptible. Jocotoco is monitoring the situation.

Floreana Island
Credit: Joshua Vela

February 2026
158 juvenile Floreana
Giant Tortoises
released.

Partners: **1 2 6 7 8 9**



© Joshua Vela

February 2025
Galapagos Rail was
rediscovered on
Floreana for the first
time since Darwin
himself in 1835.

Partners: **1 6 7**



© Joshua Vela

June and August 2024
We detected invasive
predators in the highlands.
Invasive predator control
continued.

Partners: **1 2 6 8**



© Carlos Espinosa

December 2025
First group of Short-eared
Owls (*Asio flammeus
galapagoensis*) released
after being held in aviaries to
protect them during invasive
species control.

Partners: **1 2 8 11 12 14**



© Marlon del Águila

When Darwin visited Floreana in 1835, giant tortoises had already been nearly hunted out and he only saw empty tortoise shells.




Floreana Giant Tortoise
Credit: Bryan Pérez

Darwin did see Galapagos Rail on Floreana, the last record of the rail on the island until their return in 2025.



Galapagos Rail
Credit: Carlos Espinosa



Charles Darwin
Credit: Smithsonian Magazine



Floreana Island
Credit: Marlon del Águila

PODOCARPUS - EL CÓNDOR PROGRAM

Tropical Andes Biodiversity Hotspot
350,000 ha (865,000 acres)
1,000-3,800 masl (3,280-12,470 ft)

-  National Parks
-  Jocotoco Reserves
-  **ACMUS Palanda** (Municipal Conservation and Sustainable Use Area)

Copalinga

Podocarpus
National
Park

Tapichalaca

Cerro Plateado
Biological Reserve


Yacuri
National
Park

2025

JOCOTOCO HIGHLIGHTS



729 ha (1,801 acres) added to our reserve network.



2,500 seedlings of rare species planted, including endemic trees, vines, and orchids.



Five species newly described to science discovered in the Tapichalaca Reserve:

- One frog (*Pristimantis translucidus*)
- One caddisfly (*Chimarrhodella spinosa*)
- Three plants including a magnolia tree known from only eight individuals called *Magnolia tapichalacaensis*.



Two communal reserves and two national parks jointly patrolled.



Camera traps captured photos of Mountain Tapirs and Jaguars (*Panthera onca*) again, testifying to the importance of Tapichalaca as a connection for wildlife on a regional scale.


CHOCÓ -TUMBES PROGRAM



Tumbes-Chocó-Magdalena Biodiversity Hotspot


Three sub-areas:

- **Buenaventura Reserve and ACMUS Piñas:**
24,590 ha (60,763 acres) / 200-2,300 masl (656-7,546 ft)
- **Cerro de Arcos Reserve, Ridgely Reserve, and Guambuzari community:**
46,525 ha (114,967 acres) / 2,850-3,800 masl (9,350-12,467 ft)
- **Yunguilla Reserve and ACMUS Yunguilla:**
1,980 ha (4,893 acres) / 1,400-2,800 masl (4,593-9,186 ft)



2025

JOCOTOCO HIGHLIGHTS



611 ha (1,510 acres) added to our reserve network.



70,840 seedlings planted to restore habitat for threatened species, including trees to restore cloud forests at Buenaventura and shrubs to restore páramo at Cerro de Arcos.



Two species newly described to science discovered in the Buenaventura Reserve, including a cherry (*Prunus luxurians*) and a caddisfly (*Chimarra buenaventura*).



One communal reserve jointly patrolled.



The ACMUS Yunguilla was established in early 2026. This conservation area provides a legal framework for the protection of the Critically Endangered Peters' Ameiva (*Holcosus orcesi*).

EXPANDING OUR RESERVES


Jocotoco's reserves are the anchors of regional conservation.

Jocotoco protects and manages 19 reserves that cover more than 50,000 ha (123,000 acres), while we cooperatively manage another 76,000 ha (188,000 acres) of governmental and communal protected areas. We added 5,519 ha (13,638 acres) to our reserve network in 2025.

2033 RESERVE EXPANSION GOAL



Narupa Reserve
Credit: Javier Aznar



As we expand our reserves, our staff expands proportionally.

Mache Cochran Frog (*Cochranella mache*)
 Canandé Reserve
 Credit: Javier Aznar



RESTORING HABITAT



Achupaya (*Puya hamata*), one of the páramo species we are restoring.
Cerro de Arcos Reserve
Credit: Javier Aznar

CHAKANA PÁRAMO RESTORATION

Páramos are more carbon dense than old-growth Amazon rainforests. They are the source of freshwater for millions of people.

Underneath the surface of the páramo wetlands of Jocotoco's Chakana Reserve lie more than six meters (20 feet) of accumulated layers of peat. For centuries, this land was grazed by cattle. To keep the land ideal for cattle, not only was the land burned regularly, but it was also drained.

Deep drainage ditches took water off the land quickly and sent it to a nearby river. The páramos dried out, and diverse, native vegetation turned into grassy fields.

We worked with Universidad San Francisco de Quito to restore a 21-ha (52-acre) portion of Chakana by blocking those drainage channels. The water table rose 20 cm in only three years. Native páramo vegetation quickly grew back. The restored saturation level in the soil slowed decomposition, allowing it to recover its function as a major carbon sink. The páramo absorbs water like a sponge, releasing it slowly into the watershed, maintaining moisture in the soil throughout the year and providing freshwater to Quito, Ecuador's capital city.

2018



2022



2025




2024



© Esteban Suárez
(all four photos)

Wildlife quickly returned to the restored wetland. In 2025, USFQ researchers observed more individuals and species of wildlife in the restored portion of the wetland as compared to unrestored portions of the wetland. Because of the increase in prey species, they recorded predators like Puma (*Puma concolor*) and Short-eared Owl (*Asio flammeus*) only in the restored wetland.

The Layers of a Páramo Wetland



Chakana Reserve
Credit: Sebastián Kohn



RECOVERING WILDLIFE



Jocotoco Antpitta
Tapichalaca Reserve
Credit: Afuera Producciones



HIGHLIGHTED SUCCESSES RECOVERING THREATENED SPECIES

1. El Oro Parakeet (pg.61)
2. Blue-throated Hillstar (pg.63)
3. Andean Bear (pg.65)
4. Lilacine Amazon (pg.67)
5. Brown-headed Spider Monkey (pg.69)
6. Giant Anteater (pg.71)
7. Jocotoco Antpitta (pg.73)

IUCN Threat Status

(for the following pages)

CR Critically Endangered

EN Endangered

VU Vulnerable



5

© Michael Moens



6

© Jocotoco



3

© Michael Moens



7

© Afuera Producciones



1

© Michael Moens



2

© Murray Cooper



4

© Byron Delgado


EL ORO PARAKEET

EN

Pyrrhura orcesi

The global population is dwindling. Jocotoco's Buenaventura Reserve is its last stronghold.

The Endangered El Oro Parakeet is endemic to the cloud forests of southwest Ecuador. Those cloud forests have rapidly been cut. According to a new census, the global population of the El Oro Parakeet has decreased from 1,500 in 2000 to 600 today. Fortunately, our Buenaventura Reserve has an outsized impact. It now covers just under 6% of the El Oro Parakeet's global range. The reserve protects approximately 48% of the parakeet's global population. The population in the reserve is stable and growing, estimated to be 254 individuals.



- The size of the Buenaventura Reserve as a percentage of the size of the global range of the El Oro Parakeet
- Percentage of the global population protected at the Buenaventura Reserve

El Oro Parakeet
Buenaventura Reserve
Credit: Javier Aznar

The 136 El Oro Parakeet fledglings in the 2024-2025 breeding season represented 23% of the global population.



By adding more nest boxes, we have contributed to an increase in the number of fledglings annually. We have seen an average of just over 100 fledglings annually since the 2018-2019 breeding season, while the average number of fledglings between 2009-2010 and 2017-2018 was just under 40. The low number of fledglings in 2023-2024 corresponds to an overall lower number of eggs laid and low survival rate of the chicks, likely due to abnormally dry weather and the presence of parasites in the nests that reduced success.

BLUE-THROATED HILLSTAR


Oreotrochilus cyanolaemus

CR

On the brink of extinction when it was first discovered in 2017.

Now, at the Cerro de Arcos Reserve, habitat protection and restoration lead to recovery.

In 2023, the global population of the Critically Endangered Blue-throated Hillstar was estimated to be 80-110 individuals. In 2025, we counted 30-33 adults and nine active nests, up from 21 adults and no more than two nests in prior years. We now estimate the global population to be at least 133 individuals, a strong increase within two years.




Blue-throated Hillstar
Cerro de Arcos Reserve
Credit: Paul Molina

Restoring Habitat at the Cerro de Arcos Reserve



In 2025 we began restoring habitat for the Blue-throated Hillstar by planting *Chuquiragua jussieui*, a flowering shrub that is the hummingbird's main nectar source, along with 15 other species of páramo plants. In total, we added 61,840 plants, restoring 221 ha (546 acres).

Flowering *Chuquiragua jussieui*. Credit: Documencia



- Restoration Area
- Active Nest
- Adult Observed

The map above shows a portion of the Cerro de Arcos Reserve that we are restoring. We planted native flowering shrubs after a non-native pine plantation was cut. Nearby, there are several Blue-throated Hillstar territories and at least one active nest. In the next two to three years, as that restored habitat matures, we hope to see Blue-throated Hillstars establishing territories in the restoration area.

ANDEAN BEAR

VU

Tremarctos ornatus

Requiring unbroken habitat along seasonal migration routes, the Andean Bear is declining across its range.

The Andean Bear is categorized as Vulnerable by the IUCN. It moves seasonally across large home ranges from mid-elevational forests to high elevation páramos. Logging, agriculture, and urban expansion cause those corridors to be fragmented, reducing the bear's ability to find food.

Using camera traps, Jocotoco and its partners at the Universidad de San Francisco de Quito identified 21 bears in our Chakana Reserve between 2016 and 2025. Nine of those bears have been seen in multiple years, testifying to the importance of the reserve for their survival.

"Rayito", an Andean Bear
Chakana Reserve

Credit: Lucas Bustamante

Unique Facial Markings Differentiate Each Individual


Every Andean Bear has a unique facial pattern that can be used to identify the bear, like a fingerprint. One adult female bear, named Chuquiragua after the bright orange flower typical of páramos, has brought six cubs to Chakana since 2016.



Chuquiragua/Female
Mother



Video of Chuquiragua
and her cubs.



These photos from camera traps show each of the 21 Andean Bears seen in Chakana.



LILACINE AMAZON

CR

Amazona lilacina




Global populations are much higher than previously thought and the population is increasing. The Lilacine Amazon could soon be downlisted from Critically Endangered to Endangered.

The Critically Endangered Lilacine Amazon is endemic to the dry forests of western Ecuador, forests that have been extensively cleared for grazing. In 2025, we counted at least 4,073 individuals in our Las Balsas Reserve alone, double the estimated global population. We estimate that more than 90% of the global population occurs seasonally in Las Balsas.

Lilacine Amazon
Las Balsas Reserve
Credit: René Zambrano

Probability that the Global Population is Increasing



Our advanced mathematical models show that the global population of Lilacine Amazon has been increasing every year since 2022. These models use the 2018 population estimates as a baseline, analyze annual population estimates, and present the probability that the population is increasing, decreasing, or stable. While this highly mobile species is difficult to monitor, the probability that the population is increasing has been at or near 100% for three of the last four years.

Reassessing Its Threat Status

With data showing that the global population is much higher than previously thought, and data that show the population is likely increasing, Jocotoco will propose that the Lilacine Amazon threat status be reassessed by the IUCN. Our findings suggest that the species should be downlisted from Critically Endangered to Endangered. Our conservation strategies for this species are working.

BROWN-HEADED SPIDER MONKEY

CR

Ateles fusciceps fusciceps




Brown-headed Spider Monkey
Canandé Reserve
Credit: James Muchmore

Considered to be one of the 25 most threatened primate species worldwide. New population counts in our Canandé Reserve exceed the total estimated global population.

The Critically Endangered subspecies of Brown-headed Spider Monkey is nearing extinction from hunting and habitat loss in the Chocó. Its global population was estimated by the IUCN to be fewer than 500 individuals.

Between 2024 and 2025, we counted 780 individuals in Jocotoco's Canandé Reserve alone. This means the global population is higher than previously thought. We believe that the Canandé Reserve is home to more than 80% of the total global population.



GIANT ANTEATER

VU

Myrmecophaga tridactyla



Iconic but elusive, the Giant Anteater was thought to have disappeared from western Ecuador. New photos and videos prove it has come back.

The Giant Anteater, considered Vulnerable by the IUCN, has a large range spanning much of Central and South America. Because of habitat loss and hunting, it had rarely been seen in the Chocó in western Ecuador since the mid-1900s.

The first observation in decades of the Giant Anteater in the Ecuadorian Chocó took place at El Pambilar Wildlife Refuge in 2017. It was then confirmed in Jocotoco's Canandé Reserve in 2022. We have recorded many with camera traps since then.

Giant Anteater
Canandé Reserve
Credit: Jocotoco

Giant Anteater Returns to Western Ecuador



JOCOTOCO ANTPITTA

Grallaria ridgelyi

EN

Discovered in 1997, little was known about its population. In 2025, advanced technology showed that it may be even rarer than previously thought.


The Endangered Jocotoco Antpitta is endemic to the cloud forests in southern Ecuador and northern Peru. The antpitta is very secretive, and its habitat in dense forests and steep slopes is difficult to access. It rarely vocalizes. The global population estimate is 480-600 individuals. However, data supporting this estimate are lacking.

To update the global population estimate, we used 71 audio recorders to capture more than 14,000 hours of sound across 30 km² (12 miles²) in the Tapichalaca Reserve. Our team refined AI models to identify the vocalizations of the Jocotoco Antpitta. In total, 20 audio recorders captured the call of the Jocotoco Antpitta, representing 20 antpitta territories. With a total range of 252 km² (97 miles²), we now estimate that **the global population of the Jocotoco Antpitta may be as low as 127-169 individuals.**

In 2026 we plan to do more audio recordings, expand monitoring to other sites, and reassess a few of the previously monitored sites to examine long-term occupation by the antpitta.


Jocotoco
Tapichalaca Reserve
Credit: Alex Wiles

Acoustic Monitoring for the Jocotoco Antpitta



Because of the power of technological innovation, we now have data that can help us protect the Jocotoco Antpitta. Creating the Tapichalaca Reserve back in 1998 no doubt helped save this species from extinction. We must now expand the Tapichalaca Reserve and support the protection of adjacent protected areas to secure the antpitta's future.

Jocotoco Antpitta Calls Visualized in a Spectrogram



Listen to the call
of the Jocotoco
Antpitta

SUSTAINING JOCOTOCO'S WORK, TOGETHER



Rainbow Starfrontlet (*Coeligena iris*)
Ututana Reserve
Credit: Dustin Chen

PARTNERS

Individuals

A

Anonymous
Brian Allen
Alexander Almeida
Charlene Angel
George Armistead
Roy and Laurie Averill-Murray

B

Cynthia Barlow
Greg Barr
Kathleen Barry
Barbara Basset
Adrian Bautista
Dorothy Bedford
Stephanie Bellack
Larry Benjamin
Sophia Berg
Kenneth Berlin
Brenda Berry
David Berryman
Achim Bischoff
Ava Blitz
Patrick Blomquist
Andrew Bogott
Julie Bourns
Mónica Bradbury
Gay Browne
Martha and Don Burrows
Troy Bynum

C

Mónica Castaneda
Patience and Tom Chamberlin
Richard Chu
Paula Chu
Robert Clarfeld
Morris Clark
Damon Cole
Anthony Collerton
Warren Cooke
Ellyn Corey
Susan Cossins
Karen Cozza
Anne Cross

D

Harold Davis
Judy Davis
Cathy Dean
Nicole DeBarber
Jacqueline Devos
David Dewenter
Nikhil Dhanwatey
Janene Donovan
Pauline Doyle
Barbara Drummond
Diego Dumet
Craig Dunn

E

Laura E. Markley
Erik Eckholm
Jack Edwards
Steven Elkinton
Peggy and Jay Elliot
Gene Ellison
Thomas Eltz
Adela Espinosa

F

Andrew Farnsworth
Ramiro Farto Bello
David Fellely
Christina Feng
William Fiero
Juan Foronda
Glynis Foulk
Scott Fraser
Gregg Frederick Auwaerter
Hillary Freireich

G

Susan Giddings
Frank and Susan Gilliland
Paulina Gómez
Victoria Gordon
Alexandra Görgner
Susan Graham
Michael Green
Jorge Guerra

H

Jason Hall
Susan Hall
Tom Hamerlinck
Bert Harris
Scott Harris
Rita Harvey
Louann Henderson
Dale Henderson
Nancy Henke
Paul Hettler
Johannes Hettler
Sabine Hettler
Jena Highkin
Jennifer Hill
Heather Hodges
Deborah Hoellein

Scott Holt
Ben Hook
Kathryn Hopkins
Kathy Horne
Suann Hosie
Evan Howe
Virginia Howe
Lani Hummel
Gunnar Hupe

I

Juliette Irmer

J

Greg Jackson
Curt Jacoby
Carol Jeffery
Walter and Linda Jennings
George Jett

K

David Kern
Warren and Barry King
Johanna Kollmann
Florian Kopp
Nic Korte
Kathryn Kramer
Jon Kucera
Mia Küllmer
Adam Kuskner

L

Susan Lancelle
Jonathan Lawrence
Alexandria Le
Frederica Leon
Alice Leon
Rosemary Lloyd
Mark Lockwood
Claudia Loose

M

Anne Marie Macari
Edward Madey
Sharyn Magee
Joshua Malbin
Ron Mallory
Wendy and Stuart Malmid
Katie Lorraine McCarthy
Patrick McGuire
Tracy Meade
Carsten Metz
Michael Meurer
Mark Mills
Ralph Milnes
Jim Moffett
Jennifer Moon
John Moore
Charlotte Morton
James Muchmore
Brian Murphy

N

Barbara Nash
Ellen Neumaier
David Newman
Joshua Newman
Fred Niner
Mathias Nord

O

Tamaki Okuno
Benjamin Olewine
Scott and Erin Olmstead

P

Antonio Páez
Alex Pavon-Valencia
Greta Pegram
Juan Pérez
Lynn Peterson
Paul Pisano
Elizabeth Platt
Tobias Plieninger
Clarissa Porter
Jon Poulsen
Mark Pretti
Pamela Pritzl

R

Cristian Camilo Restrepo
Brenda Richmond
Robert Ridgely
Brian Rodgers
Starla and Bob Roels
Jajeane Rose
Mary Rowe
Rose Ann Rowlett
Barbara Roy
Andy Rubin
Carolyn Rymon

S

Steven Sacks
Jessica Sandler
Luisa Schilig
Joel Schulman
Martha Schultz
Ellen Schwenne

Greg Scyphers
Robert and Lili Sedaghatpour
Doris Sele-Altwegg
Christopher Selvig
Martin Selzer
Jim Skvorc
Bradley Smith
Frank Smith
Nancy Smith
Tara Smith
Robert Smythe
Steve Sovern
Bryan Sperry
Richard Spotts
Karen Stanley
Ellen Strauss

T

Rush Taggart
James Thomason
Barbara Trask
Meredith Treadwell
Jane Treuhaft
Tracy and Aaron Twombly

U

Jessica Uquillas

V

Marc van Dijk
Anne Marie Verde
Laurel Vogl

W

Eben and Patricia Brooks Walker
George Wallace
Peter Warrington
Kevin Webb
Richard Webster
Doug Wechsler

Richard Weiman
Nancy Wiechmann
Terry Wight
David Wilcove
Gunther Willinger
Jay Withgott
Catherine Wright

X

Ting Xiao

Z

Joely Zarra
Naichi Zhang
Annemarie Zimmermann

Foundations, Family Funds, and Companies

3A Composites
Acqua Splendor
Aldan Industries
American Bird Conservancy
American Online Giving Foundation
Auckland Foundation
Association Française des Parcs Zoologiques (AFdPZ)
Association Ecozoo Conservation
Banco de Desarrollo de América Latina y el Caribe (CAF)
Bezos Earth Fund
Blue Action Fund
Bryan Sperry Charitable Fund
Butler Foundation
Canodros/Silversea
Cartier Philanthropy for People & Nature
Charities Aid Foundation
Cocotravel
Conservation Allies
Conservatoire Des oiseaux Exotiques (CDE)
Dancing Tides Foundation, INC
Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ)
DOB Ecology
Dot.eco
Enid L. Starr & Alan D. Gordon Fund
Fidelity Charitable
Focused On Nature
Fondation Franklinia
Fondation Segré
Foundation for the Carolinas
Frank and Deenie Brosens Foundation
Fundación Futuro
Galapagos Conservation Trust
Galapagos Life Fund
Galapagos Travel Center
Global Environmental Facility (GEF)
Green Future Project
Happy Gringo
Hellabrunn Zoo Munich

HX Foundation
In the Now
Indianapolis Zoo
International Conservation Foundation
Invest Conservation
Jeniam Foundation
Jocotoco Conservation Foundation
Joseph & Katherine Macari Foundation
Kingfisher Family Fund
Kreditanstalt für Wiederaufbau (KfW)
Kucera - Graham Family Foundation at the Community Foundation for Greater Buffalo
Maidenherren Fund at the Silicon Valley Community Foundation
March Conservation Fund
Microcervecería Sinners
Milkywire
Moyer Family Fund
Naia Trust
National Fish and Wildlife Foundation (NFWF)
National Geographic (NATGEO) Lindblad Expeditions
Naturalist Journeys
Ocean Finance Company
Overbrook Foundation
Pew Bertarelli Ocean Legacy
Play for Nature
Rainforest Trust
Re:wild
Royal Galápagos
Rufe Family Fund
Rufford Foundation
Saint Louis Zoo
Scott and Patricia Kim Gable Family Fund
Shark Conservation Foundation
Soleq Travel
Terra Viajes Ecuador
ThankU
The New Hampshire Charitable Foundation's George W. Merck Fund
The L & L Family Foundation
The Shearwater Foundation
Thin Green Line

TUMI Inc.
 US Fish and Wildlife Service (USFWS)
 Weeden Foundation
 Weiland Giving Fund
 Wilhelma Zoologisch-Botanischen Garten
 Stuttgart
 Winn Farlow Fund at Community
 Foundation of Western Massachusetts
 World Land Trust
 World Wildlife Fund's Russell E. Train
 Education for Nature Program (WWF-EFN)
 Zoological Society for the Conservation of
 Species and Populations (ZGAP)
 Zoo des Sables d'Olonn

Collaborators

Administración Parque Nacional Antisana
 Administración Parque Nacional Cotacachi -
 Cayapas
 Administración Parque Nacional Podocarpus
 - El Cóndor
 Administración Parque Nacional Sumaco
 Napo Galeras
 Administración Parque Nacional Yasuni
 Administración Refugio de Vida Silvestre El
 Pambilar
 Administración Reserva Biológica Cerro
 Plateado
 Agencia de Regulación y Control de la
 Bioseguridad para Galápagos
 Alianza Jambato
 Amaru Bioparque Cuenca
 Amazing Ecuador
 Animal Evolutionary Ecology, TU Darmstadt
 Animal Population Ecology, University of
 Bayreuth
 Asociación de Comunidades Kijus (ACOKI)
 Asociación de Ganaderos Huacamayos
 Jondachi
 Asociación de Servicios Turísticos
 Aviturismo en la Reserva de Biosfera
 Sumaco
 Aves y Conservación
 Barrio San Antonio - Palanda

California Academy of Sciences
 Cellular and Organismic Interactions,
 Ludwig-Maximilians-University München
 Centro Chachi Chontaduro
 Centro Chachi Corriente Grande
 Centro Chachi Gualpi
 Centro Chachi Sabalito
 Centro de Rescate Jambelí
 Cloud Forest Organics
 Club de Surf Isla Santa Cruz Galápagos
 Colección de Invertebrados Sur del Ecuador,
 Universidad Técnica Particular de Loja
 Comité de Cogestión del ACMUS de Palanda
 Comuna Ancestral Las Balsas
 Comuna Ancestral Las Tunas
 Comuna Guambusari
 Comuna Kichwa 24 de Mayo
 Comuna Kichwa Ávila Viejo
 Comuna Kichwa San José de Payamino
 Comunidad de San Francisco
 Comunidad Hoja Blanca
 Comunidad La Yuca
 Comunidad Santa Rita
 Consejo de Gobierno de Régimen Especial
 de Galápagos
 Conservation Ecology, University of
 Marburg
 Cornell Lab of Ornithology
 Corporación Toisán
 Department of Animal Ecology and Tropical
 Biology, University of Würzburg
 Department of Biometry and Environmental
 System Analysis, University of Freiburg
 Department of Ecology & Conservation
 Biology, Texas A&M University
 Department of Ecology and Evolutionary
 Biology, University of Connecticut
 Dirección del Parque Nacional Galápagos
 Dirección Nacional de los Espacios
 Acuáticos (DIRNEA)
 Durrell Wildlife Conservation Trust
 Earthkeeper
 Ecological Networks Lab, TU Darmstadt
 Embassy of Ecuador, US

Escuela de Biología, Universidad del
 Azuay
 Escuela Politécnica Nacional
 Faculty of Biological Sciences, Goethe
 University
 Faculty of Environment and Natural
 Resources, University of Freiburg
 Federación de Centros Chachi del
 Ecuador (FECCHCE)
 Fondo de Inversión Ambiental Sostenible
 (FIAS)
 Fondo para Control de Especies
 Invasoras para Galápagos (FEIG)
 Fondo para la Protección del Agua
 (FONAG)
 Forest Research Institute, University of
 the Sunshine Coast
 Frente Insular
 Fundación Amazónica YacuWarimi
 Fundación Charles Darwin
 Fundación Cóndor Andino
 Fundación Ecológica Arcorlis
 Fundación Ecominga
 Fundación ECOS
 Fundación Escalesia
 Fundación Futuro
 Fundación Imaymana
 Fundación Los Aliados
 Fundación Maquipucuna
 Galápagos Reef Revival
 Gobierno Autónomo Descentralizado
 Municipal de Archidona
 Gobierno Autónomo Descentralizado
 Municipal de Eloy Alfaro
 Gobierno Autónomo Descentralizado
 Municipal de Loreto
 Gobierno Autónomo Descentralizado
 Municipal de Manu
 Gobierno Autónomo Descentralizado
 Municipal de Palanda
 Gobierno Autónomo Descentralizado
 Municipal de Piñas
 Gobierno Autónomo Descentralizado
 Municipal de Santa Cruz
 Gobierno Autónomo Descentralizado
 Municipal de Santa Isabel

Gobierno Autónomo Descentralizado
 Municipal de Santa Rosa
 Gobierno Autónomo Descentralizado
 Municipal de Selva Alegre
 Gobierno Autónomo Descentralizado
 Parroquial de San José de Payamino
 Gobierno Autónomo Descentralizado
 Parroquial isla Santa María
 Green Jay
 Humboldt-Universität zu Berlin
 Institute for Condensed Matter Physics,
 TU Darmstadt
 Institute of Statistics, National Tsing Hua
 University
 Instituto Nacional de Biodiversidad
 (INABIO)
 Instituto Público de Investigación de
 Acuicultura y Pesca (IPIAP)
 Island Conservation
 John Carroll University
 Jungle Foundation
 Leuphana University Lüneburg
 Max Planck Institut für Chemische
 Ökologie
 Ministerio del Ambiente y Energía
 Mongabay
 Museo de Zoología, Pontificia Universidad
 Católica del Ecuador (PUCE)
 Museum für Naturkunde—Leibniz Institute
 for Evolution and Biodiversity Science
 Natural History Museum of Denmark
 Naveducando / Programa Galápagos Infinito
 Parque Condor
 Philipps-Universität Marburg
 Phyletisches Museum, Institute for Zoology
 and Evolutionary Research,
 Friedrich-Schiller-University Jena
 Plant-Environment-Interactions Group,
 Botanical Institute, University of Kiel
 Plant-Insect-Interactions Group, TU Munich
 Protos Andes Ecuador
 Pueblo Kichwa de Wamani
 Reassembly
 Reserva Los Cedros
 Reserva Wayra

Save the Chocó
Senckenberg Biodiversity and Climate
Research Centre (SBIK-F)
Silviculture and Forest Ecology of the
Temperate Zones, Georg-August
Universität Göttingen
Smithsonian Tropical Research Institute
Studio Julian Charrière
Tinta Digital
Tuna Conservation Group (TUNACONS)
Unidad Educativa Valladolid
Universidad de Guayaquil
Universidad de las Américas
Universidad Nacional de Loja
Universidad Regional Amazónica (IKIAM)
Universidad San Francisco de Quito (USFQ)
Universidad Tecnológica Indoamérica
Universidade Federal de Goiás
Universität Ulm
University of Colorado Museum of Natural
History
University of Copenhagen
WildAid


Paolo Escobar
Carlos Espinosa
Juan Carlos Figueroa
Marcelo Gavilanes
Isabel Grijalva
Nick Kanakis
David Liberio
Juan Pablo Mayorga
Patricio Mena
Michael Moens
Paúl Molina
James Muchmore
Antonio Páez
Bryan Pérez
Meinolf Pues
Santiago Salazar
Jacob Salinas
Juan Carlos Sánchez
Mara Speece
Raf Stassen
Andrés Vásquez
Joshua Vela
Alex Wiles

Photographers

Afuera Producciones
Javier Aznar
Diego Bermeo
Pedro Bernal
Miquel Bonet
Dusan Brinkhuizen
Lucas Bustamante
Rhett Butler
Leovigildo Cabrera
Wilson Cabrera
Lizeth Cargua
Efraín Cepeda
Dustin Chen
Luke Cooper
Andrés Cruz
Rashid Cruz
Giacomo de Franchis
Marlon del Águila
Byron Delgado
Documencia

**EXPLORE ECUADOR AND
DESTINATIONS BEYOND
WITH JOCOTOURS**





Through Jocotours, you can travel to Ecuador and experience an incredible diversity of landscapes, wildlife, and culture, from the Amazon to the Andes, into the Chocó, and across the Pacific to the Galapagos. You can see more than 400 species of birds in little more than a week. In a single morning trip from Quito, you can see soaring Andean Condors and secretive Andean Bears. On the Galapagos you can walk with giant tortoises and swim with penguins, rays, and baby sea lions.

Jocotours can arrange your travel to anywhere in Ecuador, including our five lodges. Jocotours can also arrange trips to nearby countries like Peru and Colombia. When you travel with Jocotours, all proceeds go back to Jocotoco's conservation work.

Join us on your next incredible journey!

Contact Jocotours at:

+593 99 244 0038

info@jocotoursecuador.com

www.jocotoursecuador.com

Yanacocha Reserve
Credit: Documencia



JOCOAMBIENTE

Jocotoco's subsidiary company, called Jocoambiente, provides conservation services to our partners both in Ecuador and outside of Ecuador. Through Jocoambiente, we help establish and manage reserves for our partners. We help partners protect endangered species. We use advanced technology to help monitor biodiversity and threats across large landscapes. All of the revenue of Jocoambiente supports Jocotoco's conservation work.

If you would like to work with Jocoambiente, you can reach out to us by emailing jocoambiente@jocotoco.org.ec.



Diplostephium sp.
Cerro de Arcos Reserve
Credit: Afuera Producciones

THE CONDORS

JOCOTOCO'S LEGACY SOCIETY

You can join The Condors, Jocotoco's Legacy Society, by including Jocotoco in your planned giving.

- You can make a bequest to Jocotoco through your will or trust.
- You can list Jocotoco as a beneficiary on a life insurance plan.
- You can add Jocotoco as a beneficiary to a retirement plan.

If you have any questions about planned giving, reach out to Jajeen Rose, Executive Director of the Jocotoco Conservation Foundation in the U.S. by emailing him at jajeen.rose@jocotoco.org or by calling +1 (716) 247-1255.

Bert Harris, a Jocotoco board member and the Executive Director of the Clifton Institute, a conservation organization based in Virginia, U.S., has included Jocotoco as a beneficiary in his will.

At a young age, Bert visited Jocotoco's Tapichalaca Reserve, our first reserve and home to our namesake, the Jocotoco Antpitta. That experience led Bert to become part of the Jocotoco family. Bert found ways to stay involved. He devoted time to conserving the Esmeraldas Woodstar (*Chaetocercus berlepschi*), a rare and endemic hummingbird now considered Vulnerable by the IUCN, in what would become our Ayampe Reserve near the Pacific Coast. These two environments — high-elevation cloud forests at Tapichalaca and coastal tropical dry forests at Ayampe — were incredibly different from one another, but they shared one thing in common: they were some of the last local remnants of these unique habitats.

Protecting these places and the wildlife they sustain became Bert's passion, and that passion has never left.

In mid-2025 Bert became a new father. By including Jocotoco in his will, Bert is ensuring that his child and many generations to come will be able to experience the unique wildlife of Ecuador far into the future.



Esmeraldas Woodstar
Credit: Murray Cooper



Thank you to all of our Legacy Society members for caring so deeply about Jocotoco.

- David Agro
- Roy and Laurie Averill-Murray
- Frank and Susan Gilliland
- John Guarnaccia
- Heather Hodges
- John Moore
- Benjamin Olewine
- Robert Ridgely
- Bert Harris
- Jajeane Rose

Andean Condor (*Vultur gryphus*)
Chakana Reserve
Credit: Javier Aznar

MISSION, VISION, AND VALUES

● Mission

Jocotoco's mission is to protect 10% of Earth's biodiversity, focusing on threatened species and ecosystems, guided by science and local leadership.

● Vision

Permanently protected, connected, and resilient ecosystems in the most diverse and threatened places in Latin America, for the benefit of future generations.

● Values

- Jocotoco strongly believes that nature has an intrinsic value, that wildlife has a right to exist with us. We act on our belief by creating protected areas and by supporting the conservation efforts of communities.
- We believe in people. It is our incredible community of people who inspire us and who achieve conservation successes. We strive to provide opportunities for personal growth for everyone who works with us, and for the next generation of conservation leaders.
- Our work is guided by treating others honestly, transparently, and fairly. We always strive for effectiveness and excellence.

● Operational Statements

- We protect carefully chosen key places to ensure the long-term protection of endangered biodiversity and ecosystems.
- We are the steward for land we own or manage to enhance and protect ecological integrity.
- We restore degraded ecosystems, connecting the tops of mountains to offshore reefs, connecting islands together across the open ocean, and connecting habitat fragments across productive land.
- We rely on rigorous, external science to review our work, creating the most effective conservation programs possible together with local, national, and international partners.
- Our success is built on local leadership, beginning on the ground by empowering park guards, investing in their professional growth, and enabling them to advance into ever more influential roles.
- We use advanced technology to monitor and evaluate our impact, allowing us to scale up our work across vast regional landscapes.

GIVING TO JOCOTOCO

There are many ways that you can give to Jocotoco.

- **You can give to Fundación Jocotoco in Ecuador by making a bank transfer:**

Fundación de Conservación Jocotoco

Bank: Banco Pichincha

Account (Cuenta): 3477081504

Taxpayer ID (RUC): 1791422678001

- **You can give to Jocotoco Conservation Foundation, a U.S.-based not-for-profit:**

Go to jocotoco.org and click donate.

- **You can also mail a check payable to:**

Jocotoco Conservation Foundation

P.O. Box 496

Garrett Park, MD 20896



Donate here

- **We accept gifts of stock, donor advised funds, and qualified charitable distributions from your IRA. You can also give to Jocotoco in your will.**

Please contact Jajean Rose, the Executive Director of the Jocotoco Conservation Foundation, at +1 (716) 247-1255 or jajean.rose@jocotoco.org if you have any questions about how to donate.

Jocotoco Conservation Foundation is a US tax-exempt non-profit organization, under the section 501(c)(3) of the Internal Revenue Code. All charitable donations are deductible to the full extent allowed by law. EIN: 83-2027203. Jocotoco Conservation Foundation accepts contributions restricted by donors for particular purposes but does not accept contributions that are earmarked for individual grantees. All donations are subject to the exclusive discretion and control of the Jocotoco Conservation Foundation in furtherance of the Foundation's charitable purposes.



Mantled Howler Monkey
(*Alouatta palliata*)
Buenaventura Reserve
Credit: Javier Aznar



WWW.JOCOTOCO.ORG